



Safety Data Sheet

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7
Date of Revision: None Revision: 0

Section 1 - Chemical Product and Company Identification

1.1 Product Name: **Roo99**

1.2 Synonym: Blend

1.3 VP Racing Fuels, Inc., 7124 Richter Road, Elmhurst, TX 78112, 210.635.7744

1.4 Recommended Use: Racing Fuel

1.5 **RESTRICTIONS on USE THIS FUEL IS FOR RACING VEHICLE USE ONLY!**

NOT LEGAL FOR STREET DRIVEN MOTOR VEHICLE

1.6 Emergency Response Number: **CHEMTREC 800-424-9300**

International Emergency Telephone Number: **+1-703-527-3887**

1.7 See Section 16.3 for CHEMTREC in Country Emergency Numbers

1.8 Supplier: VP Racing Fuels Pty Ltd, Unit 24 85-115 Alfred Road, Chipping Norton, NSW 2170, Australia 02 9723 4233, Emergency Telephone: 0421 116 838.

Section 2 - Hazards Identification

2.1 GHS HAZARD

Hazard Classes

Hazard Categories

Highly Flammable liquid/vapor

Category 2

Specific Target Organs toxicity single exposure

Category 3

Eye Irritation

Category 2A

Skin Irritation

Category 2

Acute Toxicity (Inhalation)

Category 3

Mutagenicity

Category 1B

Carcinogen

Category 1B

Aspiration Hazard

Category 1

Toxic to Aquatic Life Long Lasting Effects

Category 2

2.2 Signal Word: **Danger**

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7



Flame Health Hazard Irritant

2.3 Pictograms:

2.4 Hazard Statements

PHYSICAL HAZARDS:

H225: Highly flammable liquid and vapor

HEALTH HAZARDS:

H304: May be fatal if swallowed and enter the airway

H315: Causes skin irritation

H319: Causes serious eye irritation

H331: Toxic if inhaled

H340: May cause genetic defects

H350: May cause cancer

H336: May cause drowsiness or dizziness

ENVIRONMENTAL HAZARDS:

H411: Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

P102: Keep out of reach of children

P201: Obtain special instructions before use.

READ SDS BEFORE USE

P202: Do not handle until all safety precautions have been read and understood

P210: Keep away from sparks and open flames-
No smoking

P240: Ground or bond container and
receiving equipment

P241: Use explosion-proof equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against
static discharge

P260: Do not breathe vapors

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using
this product

P271: Use only outdoors or in well ventilated
area

P273: Avoid release to the environment

P280: Wear protective gloves, clothing and eye
protection

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System

Conforms to The United Nations Regulation Globally Harmonized System Revision 7

RESPONSE STATEMENTS:

P301 +P310+ P331: IF SWALLOWED: USA
Immediately call the National POISON CENTER at **800-222-1222**. **OUTSIDE USA** Immediately call poison center or doctor. **DO NOT** induce vomiting

P303+P361+P353: IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water

P304+P340: IF INHALED. Remove to fresh air and keep comfortable for breathing

P305+P351: IF IN EYES rinse cautiously with water for at least 15 minutes

P308+P313: If exposed or concerned get medical attention

P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse

P313+P332+P337: If skin or eye irritation persists get medical attention

H314: Get medical attention if you feel unwell

P370: In case of fire use foam, carbon dioxide, dry chemical to extinguish fire

P391: Collect spillage.

STORAGE STATEMENTS:

P403+P405+P235: Store in a well-ventilated place, store locked up and keep cool

DISPOSAL STATEMENTS:

P501: Dispose of content and/or container in accordance with local, regional, national or international regulations

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS Repeated exposure may cause skin dryness or cracking.

Section 3 - Composition / Information on Ingredients

3.1

| CAS# | EC# | Chemical Names | Percent | Classification |
|------------|-----------|------------------------------------|---------|--|
| 64741-64-6 | 265-066-7 | Low boiling point modified naphtha | 75-85 % | Flam. Liq. 1 H224, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Eye Irrit 2, H319, STOT SE 3 Central Nervous Sys. Inhalation H336, Muta. 1B H340, Carc. 1B H350, Aquatic Chronic 2 H411 |
| 1634-04-4 | 216-653-1 | 2-Methoxy-2-methylpropane | 15-25 % | Flam. Liq. 2 H225, Skin Irrit. 2 H315 |

3.2 Trade Secret Provision and Chemical Concentration Disclosure: In accordance with OSHA and GHS Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a blend and are applicable to the hazards as identified in this Safety Data Sheet.

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead to irritation and/or dermatitis.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

4.3 Ingestion: Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema and even death.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

4.4 Inhalation: Prolonged breathing of high vapor concentrations can produce headache, dizziness, nausea, and impaired vision. Excessive overexposure can cause central nervous system depression, loss of consciousness, liver damage and death resulting from respiratory failure.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

4.5 After first aid, get appropriate paramedic, or community medical support. The severity of outcome following ingestion may be more related to the time between ingestion and treatment, rather than the amount ingested. Therefore, there is a need for rapid treatment of any ingestion exposure.

4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will upon written request disclose a specific chemical identity.

Section 5 - Fire-Fighting Measures

5.1 General Fire Hazards: Use water to cool containers exposed to fire.

5.2 Hazardous Combustion Products: Avoid fumes of burning product.

5.3 Extinguishing Media: Carbon dioxide, dry chemical, foam.

5.4 Fire Fighting Equipment/Instructions: Fire fighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling any combustion products.

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

Section 6 - Accidental Release Measures

6.1 Spill /Leak Procedures: Ventilate area highly flammable. Spillages of liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

6.2 Spills: Avoid direct contact with material. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

Section 7 - Handling and Storage

7.1 Handling Precautions: Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin or clothing. Keep container tightly closed. Avoid inhalation.

7.2 Storage Requirements: Store in a tightly closed container in a cool, dry and well-ventilated area.

Section 8 - Exposure Controls / Personal Protection

8.1

| Chemical Names | ACGIH- TLV | OSHA - PEL |
|-----------------------------------|-------------|-------------|
| Low boiling point modified naphta | 300 ppm TWA | 300 ppm TWA |
| 2-Methoxy-2-methylpropane | 50 ppm TWA | 50 ppm TWA |

8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.
OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour work week which shall not be exceeded.

8.3 Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation are preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.4 Contaminated Equipment: Separate contaminated work clothes from street clothes and launder before reuse.
Remove this material from your shoes and clean personal protective equipment.

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

Viton is a Registered Trademark of The DuPont Company

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

8.5.4 Skin and body protection

Impervious clothing flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

8.6 Protective Clothing Pictograms



Section 9 - Physical and Chemical Properties

9.1

Physical State: Liquid

Appearance: Lt Green

Odor: Aromatic Hydrocarbon

Vapor Pressure: Not Available

Vapor Density (Air=1): Not Available

Specific Gravity (H₂O=1,): 0.71

Relative Density: Not Available

Odor Threshold: Not Available

Flammability (solid, gas): Not Applicable.

Evaporation rate: Not Available

Partition coefficient octanol/water: Not Available

Water Solubility: Insoluble

Flash Point: -40°F, -40 °C close cup

Boiling Point Range: 88.8-395.4 °F, 31.5-201.8 °C

Freezing/Melting Point: Not Available

Viscosity: Not Available

Auto ignition Temperature: Not Available

LEL: No data available

UEL: No data available

Viscosity: Kinematic 0.5 mm²/s at 104 °F (40 °C)

Auto ignition Temperature: Not Available

Decomposition temperature: Not Available

pH: None

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage.

10.2 Polymerization: Hazardous polymerization has not been reported.

10.3 Chemical Incompatibilities: Strong oxidizing agents.

10.4 Hazardous Decomposition Products: Combustion produces carbon monoxide and carbon dioxide.

10.5 Conditions to Avoid: Avoid heat, sparks open flames and other ignition sources.

Section 11- Toxicological Information

| 11.1 Product Name | Results | Species | Dose | Exposure |
|------------------------------------|-----------------|---------|-------------|-------------|
| Low boiling point modified naphtha | Oral LD50 | Rat | 7000 mg/kg | None Listed |
| Low boiling point modified naphtha | Dermal LD50 | Rabbit | 2000 mg/kg | None Listed |
| Low boiling point modified naphtha | Inhalation LC50 | Rat | 5.04 mg/l | 4 hours |
| 2-Methoxy-2-methylpropane | Oral LD50 | Rat | 2963 mg/kg | None Listed |
| 2-Methoxy-2-methylpropane | Dermal LD50 | Rabbit | 10000 mg/kg | None Listed |
| 2-Methoxy-2-methylpropane | Inhalation LC50 | Rat | 85 mg/l | 4 hours |

Acute Toxicity Estimate:

ATE: Oral 5582 mg/kg
 ATE: Dermal 2380 mg/kg
 ATE: Inhalation 6.31mg/l

11.2 Route of Entry: Inhalation, Ingestion, Absorption, Skin and/or Eye Contact

11.3 Aspiration Hazard: European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways.

11.4 Mutagenicity: OECD Guideline Test results found in the European Chemical Agency Data Base show components of this product to cause genetic defects.

11.5 Skin Corrosion/Irritation: OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

11.6 Serious Eye Damage/Irritation: OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

11.7 Reproductive toxicity: Harmonized classification in the European Chemical Agency Data Base show no components of this product to cause damage to fertility or the unborn child.

11.8 Skin Sensitization OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitivity.

11.9 Respiratory Sensitization OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitivity.

11.10 Specific Target Organ Toxicity (Single Exposure): Contains chemicals which may cause damage to the following organs: Central nervous system (CNS).

11.11 Specific Target Organ Toxicity (Repeated Exposure): European Chemical Agency Data Base show no components to cause organ toxicity due to repeated exposure. However may contains chemicals which may cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

11.12 Signs and Symptoms: Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed

11.13 Carcinogenicity: OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause cancer.

| Chemical Name | IARC | ACGIH | NTP | OSHA |
|------------------------------------|--|---|-------------|-------------|
| Low boiling point modified naphtha | Possibly carcinogenic to humans | Known carcinogenic to humans | Not listed | Not listed |
| 2-Methoxy-2-methylpropane | Not classifiable as to carcinogenicity to humans | Confirmed animal with unknown relevance to humans | None listed | None Listed |

11.13.1 2-Methoxy-2-methylpropane should be considered a "potential human carcinogen" due to an increase in leydig interstitial cell tumors of testes in male rats and an increase in lymphomas, leukemias, and uterine sarcomas in female rats. In another unpublished study 2-Methoxy-2-methylpropane was shown to be carcinogenic due to "increased incidence of a rare type of kidney tumor" in male rats and an "increase in the incidence of hepatocellular adenomas" in female mice.

Section 12 - Ecological Information

12.1

| Product Name | Results | Species | Exposure |
|------------------------------------|---|---------|----------|
| Low boiling point modified naphtha | Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment | | |
| 2-Methoxy-2-methylpropane | LC50 672 mg/l | Fish | 96 hours |

Toxicity: OECD Guideline Test results found in the European Chemical Agency Data Base show components of this product to cause long-term toxicity to aquatic life.

12.2 Mobility: Floats on water.

12.3 Persistence/degradability: Inconclusive technical data.

12.4 Bioaccumulation: Inconclusive technical data.


12.5 Other adverse effects: Inconclusive technical data.

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information

14.1 DOT Transport Information



ID No.: UN 1203

Shipping Name: Gasoline

Hazard Class: 3

Packing Group: II

Label: Flammable

Placard: Flammable

Marking: MARINE POLLUTANT Alkylate Full Range when shipping ground greater than 119 gallons' single container or any quantity by water.

14.2 IMDG Transport Information



ID No.: UN 1203

Shipping Name: GASOLINE

Hazard Class: 3

Packing Group: II

Flash Point: (-40°C c.c.)

EmS Number: F-E, S-E

Label: Flammable

Placard: Flammable

Marking: Marine Pollutant Alkylate Full Range

14.4 Australian Dangerous Goods Transport Information



ID No.: ID No.: UN1203

Shipping Name: Gasoline

Hazard Class: 3

Packing Group: II

Label: Flammable

Placard: Flammable


Marking: Marine Pollutant Alkylate Full Range

Marking: MARINE POLLUTANT The marine pollutant mark is only applicable for packages containing more than 5 liters for liquids.

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

14.5 UN Dangerous Goods Transport Information



ID No.: UN1203
Shipping Name: Gasoline
Hazard Class: 3
Packing Group: II
Label: Flammable
Placard: Flammable
Marking: Marine Pollutant Alkylate Full Range

Section 15 - Regulatory Information

15.1 US Regulations

US. Toxic Substances Control Act: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

TRI Reporting SARA 313: 2-Methoxy-2-methylpropane

CERCLA Hazardous Substances and corresponding RQs: 2-Methoxy-2-methylpropane 1000 pounds

SARA Community Right-to-Know Program: All components of this blend

Clean Water Act: None

Clean Air Act: None

OSHA: All ingredients are regulated by 1910.1200

State Regulations

California prop. 65:



WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov."

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements

Pennsylvania: All components of this product) are on the Pennsylvania Inventory or are exempt from Inventory requirements.

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

15.2 International Regulations:

Australian Inventory of Chemical Substance: All components of this product are on the Inventory or are exempt from Inventory requirements.

National Existing Chemical Inventory in Taiwan: All components of this product are on the Inventory or are exempt from Inventory requirements.

Philippine Inventory of Chemicals and Chemical Substances All components of this product are on the Inventory or are exempt from Inventory requirements.

China Existing Chemical Inventory: All components of this product are on the Inventory or are exempt from Inventory requirements.

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.
16.2 References: CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base Chinese Data Base Classification Labeling of Hazardous Chemicals, Australia Data Base for GHS Chemical Classification and MSDS and SDS of chemicals in this mixture.

16.3 CHEMTREC in country emergency dial numbers:

| CHEMTREC In-Country Dial Numbers | Local # Provided in Country | Toll Free in Country* | Greeting Language |
|--|--------------------------------|-----------------------|------------------------|
| AMERICAS | | | |
| CHEMTREC Argentina (Buenos Aires) | + (54)-1159839431 | | Latin American Spanish |
| CHEMTREC Brazil (Rio De Janeiro) | + (55)-2139581449 | | Portuguese |
| CHEMTREC Cayman Islands | + (1)-345-749-8392 | | English |
| CHEMTREC Chile (Santiago) | + (56)-225814934 | | Latin American Spanish |
| CHEMTREC Colombia * | | 01800-710-2151 | Latin American Spanish |
| CHEMTREC Costa Rica* | + (506)-40003869 | | Latin American Spanish |
| CHEMTREC Mexico* | | 01-800-681-9531 | Latin American Spanish |
| CHEMTREC Panama | + (507)-8322475 | | Latin American Spanish |
| CHEMTREC Peru (Lima) | + (51)-17071295 | | Latin American Spanish |
| CHEMTREC Trinidad and Tobago* | + (1)-868-224-5716 | | English |

Roo99

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System Revision 7

16.3 CHEMTREC in country emergency dial numbers continued:

| MIDDLE EAST | | | |
|--|---------------------|---------------------|----------------------|
| CHEMTREC Bahrain (Bahrain) | +(973)-16199372 | | Arabic |
| CHEMTREC Israel (Tel Aviv) | +(972)-37630639 | | Hebrew |
| CHEMTREC Saudi Arabia* | +(966)-8111095861 | | Arabic and English |
| CHEMTREC Kuwait National | +965-22274681 | | Arabic and English |
| SUB SAHARAN AFRICA | | | |
| CHEMTREC South Africa* | | 0-800-983-611 | English |
| EAST ASIA | | | |
| CHEMTREC Hong Kong (Hong Kong)* | | 800-968-793 | Cantonese |
| CHEMTREC Japan (Tokyo) | +(81)-345209637 | | Japanese |
| CHEMTREC South Korea* | | 00-308-13-2549 | Korean |
| CHEMTREC South Korea | +(82) 070-7686-0086 | | Korean |
| CHEMTREC Taiwan* | | 00801-14-8954 | Mandarin |
| SOUTHEAST ASIA | | | |
| CHEMTREC Indonesia* | | 001-803-017-9114 | Indonesian |
| CHEMTREC Malaysia * | | 1-800-815-308 | Malay |
| CHEMTREC Malaysia (Kuala Lumpur) | +(60)-327884561 | | Malay |
| CHEMTREC Philippines * | | 1-800-1-116-1020 | Tagalog |
| CHEMTREC Philippines (Manila) | +(63) 2-395-3308 | | Tagalog |
| CHEMTREC Singapore* | | 800-101-2201 | English and Mandarin |
| CHEMTREC Singapore | +(65)-31581349 | | English and Mandarin |
| CHEMTREC Thailand * | | 001-800-13-203-9987 | Thai |
| CHEMTREC Vietnam (Hanoi)* | +(84)-444581938 | | Vietnamese |
| SOUTH ASIA | | | |
| CHEMTREC Bangladesh†† | N/A | N/A | Bengali |
| CHEMTREC India * | | 000-800-100-7141 | Hindi |
| AUSTRALIA & OCEANIA | | | |
| CHEMTREC Australia (Sydney) | +(61)-290372994 | | English |
| CHEMTREC New Zealand (Auckland)* | +(64)-98010034 | | English |
| *Phone numbers for countries marked with an asterisk must be dialed within the country | | | |
| *Phone numbers for countries marked with an asterisk must be dialed within the country. | | | |
| †† Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC | | | |

16.4 SDS Preparation Date 09/06/2018

SDS Previous Issue Date: None

Prepared by SJC Compliance Education, Inc

16516 El Camino Real Suite 417

Houston, TX 77062

VP@sjcedu.org